Processing Checklist:		Waikato Build	ding Consents					
Solid Fuel Heaters								
Wood / Coal / Pellet Burners etc.								
Processor Name:	Building Consent No:		Building Category:					
KEYS: Decisions: P or Y or ⊆ = Pass F or N or X = Fail, i.e. Item either passes or fails to meet the performance requirements of the NZBC NA or I = Not applicable, i.e. The item or code clause has been considered but is not applicable to this application because the item, or the clause, is either not part of this design or relevant to this type of building project.								
Refer to Acceptable Solutions B1 – H1 as appr Employment website.	opriate - available	e from the Ministry of Business,	Innovation &					
P/F/NA Item	P/F/NA	Item						
B1 Structure □ Not applicable to this BC		(Refer to B1	Acceptable Solutions)					
Hearth		Seismic restraints						
Reasons for decisions plus any additional com	ments or RFIs:							
B2 Durability ☐ Not applicable to this BC		(Refer to B2	Acceptable Solutions)					
For acceptable solutions, refer to Figure 1 Assessment of durability requ Table 1, pg17 - 22	irement Paragrap	•						
5 year durability considered		Second hand heaters (where	Council allows) must					
15 year durability considered		have a PS or safety certificate						
50 year durability considered		manufacturer or a member of Association.	the Home Heating					
Specified intended life considered, life =years		Material compatibility and consection 8.2)	rosion zone. (also E2 ,					
Reasons for decisions plus any additional com	ments or RFIs:	0000011 0.2)						
General:								
RFIs required:								
RFIs received:								
Under section 112, Building Act 2004, the followard C DOCS - Protection from Fire:	wing must be con		Acceptable Solutions)					
State Risk Group: [tick all that apply]								
□ C/VM1 Solid fuel heaters								
☐ C/VM2 Framework for fire safe	ety design							
	, ,	Outbuildings (Risk Group SH)						
☐ C/AS2 Buildings other than Ri	,	5 (1 ,						
Verification Method C/VM1 ☐ Not applicable	e to this BC as no							
Reasons for decisions plus any additional com • General:	ater processing ch ments or RFIs:	EUNISI AIIAUIEU						
Additional: Solid fuel heater:								













	 Hearth/slab:
	o Chimney flue:
	Generic materials:
	 Heat transfer / Distances:
•	RFIs required:
•	RFIs received:
Δς	ceptable Solutions
Par	rt 1 General
•	Additional: Fire protection system:
•	RFIs Required:
•	RFIs received:
	rt 2 Fire Cells, Fire Safety Systems, and Fire Resistance Ratings asons for decisions plus any additional comments or RFIs: General:
•	Additional: Distance to Boundary: <specify></specify>
•	RFIs required:
•	RFIs received:
	rt 3 Means Of Escape
•	Additional: Escape path lengths (match protection system):
•	RFIs required:
•	RFIs received:
	rt 4 Control Of Internal Fire & Smoke Spread
•	RFIs required:
•	RFIs received:
	rt 5 Control Of External Fire spread Not applicable to this BC asons for decisions plus any additional comments or RFIs: General:
•	RFIs required:
•	RFIs received:













Par	t 6 Firefighting Not applicable to this BC	
	asons for decisions plus any additional comments or RFIs:	
	General:	
•	General.	
•	RFIs required:	
	·	
	RFIs received:	
•	N is received.	
Par	t 7 Prevention Of Fire Occurring Not applicable to this BC	
Rea	asons for decisions plus any additional comments or RFIs:	
	General:	
•	General.	
•	RFIs required:	
•	RFIs received:	
	_	
E2	External Moisture Not applicable to this BC	(Refer E2 Acceptable Solutions)
	Flashing details. Roof / wall penetrations	<u> </u>
Doc		
Kea	asons for decisions plus any additional comments or RFIs:	
	General:	
	RFIs required:	
	· · · · · · · · · · · · · · · · · · ·	
	RFIs received:	
	• Kris leceiveu.	
F5 (Construction and Demolition Hazards	(Refer F5 Acceptable Solutions)
F5 (Construction and Demolition Hazards Not applicable to this BC	(Refer F5 <u>Acceptable Solutions</u>)
	Hazard identification and management	(Refer F5 <u>Acceptable Solutions</u>)
	Hazard identification and management	(Refer F5 <u>Acceptable Solutions</u>)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs:	(Refer F5 <u>Acceptable Solutions</u>)
Rea	Hazard identification and management	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required:	(Refer F5 Acceptable Solutions)
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received:	
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to	
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received:	
Rea	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to	
Rea • (NC)	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to tit will be managed on site.)	there needs to be an indication
Rea • (NC)	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to tit will be managed on site.) Warning Systems Not applicable to this BC	
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to tit will be managed on site.) Warning Systems Not applicable to this BC	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to the tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional: RFIs required:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but it will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to the tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional: RFIs required:	there needs to be an indication
Rea • (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to the tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional: RFIs required:	there needs to be an indication
Rea (NC that	Hazard identification and management asons for decisions plus any additional comments or RFIs: General: RFIs required: RFIs received: OTE: F5 is always applicable. It may not be our responsibility to manage F5 but to the tit will be managed on site.) Warning Systems Not applicable to this BC Domestic smoke alarm(s) have been indicated on floor plan asons for decisions plus any additional comments or RFIs: General: Additional: RFIs required:	there needs to be an indication













Has the room got adequate ventilation	
Reasons for decisions plus any additional comments of	or RFIs:
General:	
Additional:	
Ventilation system:	
Ventilation rate:	
RFIs required:	
RFIs received:	
G12 Water Supplies ☐ Not applicable to this BC	(Refer G12 Acceptable Solutions)
Wetback installation complies with G12/AS1	Hot water heating design (all relevant valves,
(venting)	venting requirements, water temperature)
Piping layout included on plan	
Reasons for decisions plus any additional comments of	or RFIs:
General:	
Additional:	
Additional.Supply:	
o Quality:	
o HW storage:	
o HW tempering:	
o HW seismic restraints:	
o Supply pipe:	
o Pipe work:	
RFIs required:	
RFIs received:	
☐ All other clauses of the Building Code have be	en considered not applicable to this Building Consent.
Building Act 2004 and Other	(Refer to Building Act 2004)
S26/2) Warning or han	Q71 74 Natural bazarda

(Refer to Building Act 20 S71 - 74 Natural hazards S75 - 77 Building over 2 lots S87A Owner notification of LBPs doing RBW S90 Inspections by BCA S90D Owner-Builder exemption – FORM2C
S75 - 77 Building over 2 lots S87A Owner notification of LBPs doing RBW S90 Inspections by BCA S90D Owner-Builder exemption – FORM2C
S87A Owner notification of LBPs doing RBW S90 Inspections by BCA S90D Owner-Builder exemption – FORM2C
S90 Inspections by BCA S90D Owner-Builder exemption – FORM2C
S90D Owner-Builder exemption – FORM2C
·
C112 Alterations to existing buildings
S112 Alterations to existing buildings
S113 Intended life of building
S115 Change of use
S116 Extension of Life
S116A Subdivision of building / part of building
S S













•	S30A-H:												
•	S31:												
•	S36 - 37:												
•	S39:												
•	S42:												
•	S43(2)												
•	S45:												
•	S67-70:												
•	S71-74:												
•	• \$75-77:												
•	S87A												
•	S90:												
•	S90D:												
•	S112:												
•	S113:												
•	S115:												
•	S116:												
•	S116A:												
•	RFIs required:												
•	RFIs received:												
Res	tricted Building Wor	rk ☐ Not applicable to this BC											
		sign Work (COW) received. If NO, cl	• • • • • • • • • • • • • • • • • • • •	quested									
		re named, If NO, clock stopped and i		4 1									
Rea	Trade LBP's are named for all categories of RBW. If NO, Inspection Alert activated												
•	Reasons for decisions plus any additional comments or RFIs: • General:												
•	RFIs required:												
•	RFIs received:												
STA	TEMENTS RECEIVE	:D											
Key for statement types: Electrical Plan (EP) Engineer / Designer (PS1, PS2) Truss Layout (TR) Fire Philosophy (FP)													
	erproofing (WP)	Other (O) [specify statement type]											
	nor's Name hor providing more than	Decisions Regarding Document Content	Decision Regarding Author registration	Reason for decision	Outcome of decision								
one d	ocument, list and assess document)	တ ၌ P=Pass F=Fail NA=Not Applicable	P=Pass F=Fail NA=Not Applicable	P = content adequate /	P = Accept document								
				-auquato,	2000.710110								













			otion											author approved / other reason recorded below	F = Reject document
			Site Address / Legal description	Insurance	Date	B. Code (parts)	Work identified	Name & signature	CPEng register	NZRAB register	EWRB register	PGD register	WBCG register	F = content inadequate / author not approved / other recorded below	
a stat	Other reason(s) for decision(s): (Use this area for "other" statement types, or for giving reasons for decisions where a statement is not complete or an author is not registered, but you are accepting their statement) OUTCOME OF DECISIONS														
	Documentation doc Consent cannot be application is on ho	gran													
	Name:				s	ignat	ure:							Date:	
	Documentation derequests for further in each instance. levies.	r infor	matio	on, th	iese l	nave	been	addr	esse	d and	the r	easo	ns foi	these have bee	en recorded
	Name:				s	ignat	ure:							Date:	
	Documentation doc Consent cannot be														
	Name:				S	ignat	ure:							Date:	













